



ALUMINIUM WATERTIGHT HATCH LT



Aluminium watertight flush deck hatch.

Raised surface hinges and bi-square for builders installed teak overlay.

Features:

- teak overlay preparation;
- aluminium alloy painted white RAL 9010 (any RAL colour on request);
- raised surface hinges in stainless steel AISI 316 mirror polished with removable cover plate;
- two gas springs in stainless steel AISI 316 opening 90°;
- raised external bi-square opening;
- gutter drains located per Client requests;
- EPDM gasket;
- fully guaranteed;

Full range:

art.	cut out size	overall size	clear opening
5410.A LT	390 x 290	440 x 340	290 x 190
5410.B LT	600 x 600	650 x 650	500 x 500
5410.C LT	690 x 690	740 x 740	590 x 590
5410.D LT	510 x 510	560 x 560	410 x 410

Other sizes on request.



ALUMINIUM WATERTIGHT HATCH LV



Aluminium watertight flush deck hatch.

Flush with painted deck.

Features:

- aluminium alloy painted white RAL 9010 (any RAL colour on request);
- flush surface hinges in stainless steel AISI 316 mirror polished with removable cover plate;
- two gas struts in stainless steel AISI 316 opening 90°;
- flush external bi-square opening available;
- gutter drains located per Client requests;
- EPDM gasket;
- fully guaranteed;

Full range:

art.	cut out size	overall size	clear opening
5410.A LV	390 x 290	440 x 340	290 x 190
5410.B LV	600 x 600	650 x 650	500 x 500
5410.C LV	690 x 690	740 x 740	590 x 590
5410.D LV	510 x 510	560 x 560	410 x 410

Other sizes on request.



ALUMINIUM WATERTIGHT HATCH LY



Aluminium watertight flush deck hatch.

Concealed hinges and handle for builders installed teak overlay.

Features:

- teak overlay preparation;
- aluminium alloy painted white RAL 9010 (any RAL colour on request);
- concealed hinges in stainless steel AISI 316 mirror polished ;
- two gas springs in stainless steel AISI 316 opening 90°;
- raised external handle opening;
- gutter drains located per Client requests;
- EPDM gasket;
- fully guaranteed

Full range:

art.	cut out size	overall size	clear opening
5410.A LY	390 x 290	440 x 340	290 x 190
5410.B LY	600 x 600	650 x 650	500 x 500
5410.C LY	690 x 690	740 x 740	590 x 590
5410.D LY	510 x 510	560 x 560	410 x 410

Other sizes on request.



ALUMINIUM WATERTIGHT HATCH tipo MM



Aluminium watertight flush deck hatch.

Raised surface hinges and handle for builders installed teak overlay.

Features:

- teak overlay preparation;
- aluminium alloy painted white RAL 9010 (any RAL colour on request);
- raised surface hinges in stainless steel AISI 316 mirror polished with removable cover plate;
- two gas springs in stainless steel AISI 316 opening 90°;
- raised internal and external AISI 316 stainless steel handle opening;
- gutter drains located per Client requests;
- EPDM gasket;
- fully guaranteed;

Full range:

art.	cut out size	overall size	clear opening
5410.B VV	600 x 600	650 x 650	500 x 500
5410.C VV	690 x 690	740 x 740	590 x 590
5410.D VV	510 x 510	560 x 560	410 x 410

Other sizes on request.



ALUMINIUM WATERTIGHT HATCH tipo VV



Aluminium watertight flush deck hatch.

Raised surface hinges and handle for builders installed teak overlay.

Features:

- teak overlay preparation;
- aluminium alloy painted white RAL 9010 (any RAL colour on request);
- raised surface hinges in stainless steel AISI 316 mirror polished with removable cover plate;
- two gas springs in stainless steel AISI 316 opening 90°;
- internal and external aluminium wheel opening;
- gutter drains located per Client requests;
- EPDM gasket;
- fully guaranteed;

Full range:

art.	cut out size	overall size	clear opening
5410.B VV	600 x 600	650 x 650	500 x 500
5410.C VV	690 x 690	740 x 740	590 x 590
5410.D VV	510 x 510	560 x 560	410 x 410

Other sizes on request.



ALUMINIUM WATERTIGHT HATCH tipo VW



Aluminium watertight flush deck hatch.

Flush surface hinges and handle for painted deck.

Features:

- teak overlay preparation;
- aluminium alloy painted white RAL 9010 (any RAL colour on request);
- flush surface hinges in stainless steel AISI 316 mirror polished with removable cover plateaised surface;
- two gas springs in stainless steel AISI 316 opening 90°;
- internal aluminium windows and external bi-square wheel opening;
- gutter drains located per Client requests;
- EPDM gasket;
- fully guaranteed;

Full range:

art.	cut out size	overall size	clear opening
5410.B VW	600 x 600	650 x 650	500 x 500
5410.C VW	690 x 690	740 x 740	590 x 590
5410.D VW	510 x 510	560 x 560	410 x 410

Other sizes on request.



ALUMINIUM WATERTIGHT HATCH tipo VW/P



Aluminium watertight flush deck hatch.

Gullwing hinges and raised bisquare for builders installed teak overlay.

Features:

- teak overlay preparation;
- aluminium alloy painted white RAL 9010 (any RAL colour on request);
- gullwing hinges in stainless steel AISI 316 mirror polished;
- internal aluminium wheeland external bi-square opening;
- gutter drains located per Client requests;
- EPDM gasket;
- fully guaranteed

Full range:

art.	cut out size	overall size	clear opening
5410.B VV	600 x 600	650 x 650	500 x 500
5410.C VV	690 x 690	740 x 740	590 x 590
5410.D VV	510 x 510	560 x 560	410 x 410

Other sizes on request.



WATERTIGHT DOOR TR1



Aluminium watertight door.

Features:

- aluminium alloy painted white RAL 9010 (any RAL colour on request);
- available in standard and custom sizes to specific designer requirements;
- portlight (option);
- EPDM gasket;
- fully guaranteed;



WATERTIGHT HATCH TR2



Aluminium watertight door.

Features:

- aluminium alloy painted white RAL 9010 (any RAL colour on request);
- available in standard and custom sizes to specific designer requirements;
- EPDM gasket;
- fully guaranteed;



WATERTIGHT DOOR PS



Aluminium watertight door.

Features:

- aluminium alloy painted white RAL 9010 (any RAL colour on request);
- aluminium hinges;
- internal and external wheel handle opening;
- EPDM gasket;
- fully guaranteed;

Full range:

ref.	cut out size	overall size	clear opening
PS1	918 x 568	1010 x 660	930 x 580
PS2	1162 x 712	1242 x 792	1150 x 700
PS3	1320 x 600	1390 x 670	1312 x 592

Other sizes on request.



WATERTIGHT DOOR PSO



Aluminium watertight door.

Features:

- aluminium alloy painted white RAL 9010 (any RAL colour on request);
- aluminium hinges;
- internal and external flush stainless steel handle opening;
- EPDM gasket;
- fully guaranteed;

Full range:

ref.	cut out size	overall size	clear opening
PSO1	918 x 568	1010 x 660	930 x 580
PSO2	1162 x 712	1242 x 792	1150 x 700
PSO3	1320 x 600	1390 x 670	1312 x 592

Other sizes on request.